




M8 CITY PRESENTATION



M8 City is a reliable partner





Own manufacture


- goods are made-to-measure
- unstoppable quality control at the step of manufacture
- flexibility in terms of production





Uniqueness of products

- self-designed aluminum profile system
- improved product characteristics





A complex approach


- design
- production
- shipping
- installation supervision
- service maintenance





Reliability and experience

- We are more than 13 years on the market.



 Warranty

- a warranty period of a product is 5 years
- there are more than 900 huge projects in all the CIS.





Certificates

- certificates confirming the organization's right to produce and sell products, as well as perform installation work





Certificates

- declarations that confirm the conformity of products, works (services) necessary Standard Requirements in Belarus, Russia, Ukraine, Uzbekistan (GOST, Technical regulations, technical specifications, other regulatory documents)





We are recommended

- dozens of thanks and feedback from customers
- victories in republican competitions of manufacturers
- regular participation in construction exhibitions in Belarus and abroad
- regular participation in construction exhibitions in Belarus and abroad




TYPES OF ROOFLIGHTS AND SMOKE HATCHES

M8CITY PRO





- efficient and uniform lighting
- natural ventilation
- smoke removal
- ability to simplify engineering systems for very large buildings
- easy-to-dispose structures for explosive building categories




By the type of construction

- point light rooflight
- tape rooflights



By the shape of the dome


- flat




- spherical



- arched




- double slope




By the shape of the base

Straight base

- rectangular




- cylindrical



Inclined base

- trapezoidal






- conical




By type of opening

- manual
- mechanical
- electric or pneumatic drive




By the functions


- deaf



- with smoke removal function



- with ventilation function



By the type of translucent filling

- cellular polycarbonate



- energy saving double-glazed window





- monolithic molded polycarbonate





BENEFITS M8CITY PRO

- 1. The best solution for countries with many climatic zones**
due to a specially designed aluminum profile system




2. Maximum protection from freezing and humidity penetration

due to a specially designed aluminum profile system





3. Resistance to increased wind and snow loads

due to the reinforced construction




4. High fire resistance and durability

due to the lack of plastic elements in the frame




5. Increased thermal insulation design

due to the filling the sash with cellular polycarbonate with a thickness of up to 25 mm or energy-saving glass




POINT SMOKE HATCHES M8CITY PRO




FLAP

- made of aluminum profiles
- filling - cellular polycarbonate 16, 20, 25 mm thick or energy saving double glazing
- double seal circuit




STRETCHER

- made of aluminum profiles
- made of PVC profile (for rooms with high thermal insulation requirements)
- double seal circuit




OPENING MECHANISM

- manual (airing function)
- pneumatic (smoke removal and ventilation function)
- electric (smoke removal and ventilation function)




BASE

- standard height - 450 mm
- no plastic parts
- stainless steel or galvanized sheet 1.5-2.0 mm thick




ADDITIONAL OPTIONS

- anti-burglar grille
- safety net




TAPE ROOF LIGHTS WITH A VENTILATION FUNCTION M8CITY PRO




FLAP

- made of aluminum profiles
- filling - cellular polycarbonate with a thickness of 16, 20, 25 mm
- complete set the drive




DOMES

- made of aluminum profiles
- filling - cellular polycarbonate with a thickness of 16, 20, 25 mm
- the presence of the seal contour




STRETCHER

- made of aluminum profiles
- the presence of the seal contour



BASE

- standard height - 450 mm
- no plastic parts
- stainless steel or galvanized sheet 1.5–2.0 mm thick



LIGHT ROOFS WITH FORMED DOME M8CITY PRO



By the functions


- deaf



- with smoke removal function



- with ventilation function



By the type of translucent filling

- monolithic polycarbonate



- monolithic polycarbonate
+ cellular polycarbonate




FLAP

- made of aluminum system of profiles with thermal break
- filling with monolithic polycarbonate with a single, double or triple dome for energy efficiency improvements. The possibility of variations of monolithic polycarbonate and cellular polycarbonate
- double seal circuit




STRETCHER

- made of aluminum profiles
- made of PVC profile (for rooms with high thermal insulation requirements)
- double seal circuit




OPENING MECHANISM

- manual (airing function)
- pneumatic (smoke removal and ventilation function)
- electric (smoke removal and ventilation function)




BASE

- standard height is 450 mm
- no plastic parts
- stainless steel or galvanized sheet with a thickness 1.5-2.0 mm



ADDITIONAL OPTIONS

- anti-burglar grille
- safety net





VERTICAL LIGHT AERATION BANDS

M8CITY PRO





According to its functions

- deaf
- with integrated shutters




By the type of opening

- with smoke removal function
- with ventilation function



FLAP

- made of aluminum system of profiles with thermal break
- filling of a modular system with cellular polycarbonate with a thickness of 20 or 40 mm
- double seal circuit




OPENING MECHANISM

- chain (smoke removal and ventilation function)




CONTROL SYSTEMS OF ROOF LIGHT FLAPS




By the type of opening

- electric



- pneumatic



The main elements of the pneumatic system

- ventilation button



- electric actuator



- emergency button



- smoke detector RM 2-0



- wind/rain sensor CDW



- ventilation control center WRS 2



- control center



- electric actuator E-xx-230



The main elements of the pneumatic system

- gas flow controllers



- pneumatic actuator



- control panel




- ventilation console



Order picking for proper installation

- assembly drawings
- order specification
- installation instructions



- participation in the exhibitions MosBuild, Rosbuild in Russia
- participation in the exhibitions of InterBuildExpo, Kievbuild, EuroStroyExpo in Ukraine
- participation in the Kazbuild exhibition in Kazakhstan
- participation in the Uzbuild exhibition in Uzbekistan





- Warehouse complexes of the plant JSC "Belaruskali" Soligorsk, Republic of Belarus



- Production complex of pipeline elements LLC "Belenergomash-BZEM", Belgorod, Russian Federation



- Plant for the production of dried fruits "KAND FAVORIT" in Akhangaran, Republic of Uzbekistan



- Plant for the production of foam plastic, Rivne, Ukraine.



- Mareven Food Tien Shan LLP, Almaty, Republic of Kazakhstan



- Garlyk GOK for the production of potash fertilizers in Lebab velayat, Republic of Turkmenistan



WE INVITE FOR A COOPERATION



Sales Department Belarus

tel.: +375 17 388 44 32
e-mail: info@m8city.by
m8city.by

Sales Department Russia

tel. : +7 495 946 99 02
e-mail: info@m8city.ru
m8city.ru

Official representative in Uzbekistan

tel. : +998 91 136 03 00
+998 93 917 22 46
+998 93 916 22 46

Factory M8 City Ltd

7-24, Hatezhino village, 223039 Minsk region,
Republic of Belarus



Roof lights and smoke hatches **M8CITY** – uniqueness in detail!

There are more than 900 completed projects in all the CIS



In-house
production



Unique
items



Large
objects



Warranty



Comprehensive
services



Reliability
and experience